Author Index

Aiello, R., see Tagliaro, F. 638(1993)303

Baeyens, W., Weiss, G., Van Der Weken, G., Van Den Bossche, W. and Dewaele, C.
Analysis of pilocarpine and its *trans* epimer, isopilocarpine, by capillary electrophoresis 638(1993)319

Boček, P., see Klepárník, K. 638(1993)283

Boček, P., see Křivánková, L. 638(1993)119

Boček, P., see Nardi, A. 638(1993)247

Boček, P., see Pospíchal, J. 638(1993)179

Boček, P., see Vespalec, R. 638(1993)255

Bourque, A.J., see Cohen, A.S. 638(1993)293

Bruchelt, G., see Gebhardt, S. 638(1993)235

Bruno, A., see Pietta, P. 638(1993)357

Buzinkaiová, T., Sádecká, J., Polonský, J., Vlašičová, E. and Kořínková, V.
Isotachophoretic analysis of some antidepressants 638(1993)231

Caglio, S., see Righetti, P.G. 638(1993)165

Cammann, K., see Kleiböhmer, W. 638(1993)349

Carr, P.W., see Zhang, Y. 638(1993)43

Caslavska, J., Kaufmann, T., Gebauer, P. and Thormann, W.
Efficient computerized data acquisition and evaluation for capillary isotachophoresis in quiescent and flowing solution with single detectors placed towards the capillary end 638(1993)205

Caslavska, J., Lienhard, S. and Thormann, W.
Comparative use of three electrokinetic capillary methods for the determination of drugs in body fluids. Prospects for rapid determination of intoxications 638(1993)335

Cassiano, L., see Castagnola, M. 638(1993)327

Castagnola, M., Rossetti, D.V., Cassiano, L., Rabino, R., Nocca, G. and Giardina, B.
Optimization of phenylthiohydantoinamino acid separation by micellar electrokinetic capillary chromatography 638(1993)327

Chang, D.-K., see Woo, K.-L. 638(1993)97

Chiari, M., see Righetti, P.G. 638(1993)165

Cohen, A.S., Vilenchik, M., Dudley, J.L., Gemborys, M.W. and Bourque, A.J.
High-performance liquid chromatography and capillary gel electrophoresis as applied to antisense DNA 638(1993)293

Dabek-Zlotorzynska, E. and Dlouhy, J.F.
Simultaneous determination of alkali, alkaline-earth metal cations and ammonium in environmental samples by gradient ion chromatography 638(1993)35

Dallapiccola, B., see Del Principe, D. 638(1993)277

Dallas, A.J., see Zhang, Y. 638(1993)43

Del Principe, D., Iampieri, M.P., Germani, D., Menichelli, A., Novelli, G. and Dallapiccola, B.
Detection by capillary electrophoresis of restriction fragment length polymorphism. Analysis of a polymerase chain reaction-amplified product of the DXS 164 locus in the dystrophin gene 638(1993)277

Deml, M., see Pospíchal, J. 638(1993)179

Dewaele, C., see Baeyens, W. 638(1993)319

Deyl, Z., see Mikšík, I. 638(1993)343

Di Biase, S., see Lecoq, A.-F. 638(1993)363

Dlouhy, J.F., see Dabek-Zlotorzynska, E. 638(1993)35

Dorizzi, R., see Tagliaro, F. 638(1993)303

Drdák, M., see Karovičová, J. 638(1993)241

Dudley, J.L., see Cohen, A.S. 638(1993)293

Eliseev, A., see Nardi, A. 638(1993)247

Erney, D.R., Gillespie, A.M., Gilvydis, D.M. and Poole, C.F.
Explanation of the matrix-induced chromatographic response enhancement of organophosphorus pesticides during open tubular column gas chromatography with splitless or hot on-column injection and flame photometric detection 638(1993)57

Everaerts, F.M., see Verheggen, Th.P.E.M. 638(1993)147

Fanali, S., see Klepárník, K. 638(1993)283

Fanali, S., see Nardi, A. 638(1993)247

Fujii, N., see Funakoshi, S. 638(1993)21

Fukuda, H., see Funakoshi, S. 638(1993)21

Funakoshi, S., Fukuda, H. and Fujii, N.
Affinity purification method using a reversible biotinylating reagent for peptides synthesized by the solid-phase technique 638(1993)21

Gabriel, J., see Mikšík, I. 638(1993)343

Gebauer, P., see Caslavska, J. 638(1993)205

Gebauer, P., see Křivánková, L. 638(1993)119

Gebauer, P., see Mosher, R.A. 638(1993)155

Gebhardt, S., Kraft, K., Lode, H.N., Niethammer, D., Schmidt, K.-H. and Bruchelt, G.
Determination of ascorbic acid by isotachophoresis with regard to its potential in neuroblastoma therapy 638(1993)235

Gemborys, M.W., see Cohen, A.S. 638(1993)293

Germani, D., see Del Principe, D. 638(1993)277

Ghielmi, S., see Tagliaro, F. 638(1993)303

Giardina, B., see Castagnola, M. 638(1993)327

Gillespie, A.M., see Erney, D.R. 638(1993)57

Gilvydis, D.M., see Erney, D.R. 638(1993)57

Giordani, A.B., see Heath, T.G. 638(1993)9

Greenshields, J., see Rodén, L. 638(1993)29

Heath, T.G. and Giordani, A.B.
Reversed-phase capillary high-performance liquid chromatography with on-line UV, fluorescence and electrospray ionization mass spectrometric detection in the analysis of peptides and proteins 638(1993)9

Hirokawa, T., Ohta, T., Tanaka, I., Nakamura, K.-I., Xia, W., Nishiyama, F. and Kiso, Y.
Study of isotachophoretic separation behaviour of metal cations by means of particle-induced X-ray emission. V. Fractionation of platinum group elements from a model solution of nuclear fuel waste by means of continuous free-flow isotachophoresis 638(1993)215

Hjertén, S., see Kilár, F. 638(1993)269

Hjertén, S., see Valtcheva, L. 638(1993)263

Iampieri, M.P., see Del Principe, D. 638(1993)277

Janssen, P.S.L., see Langenhuizen, M.H.J.M. 638(1993)311

Jin, J., see Rodén, L. 638(1993)29
Kaniansky, D., Marák, J., Madajová, V. and Šimuničová, E.
Capillary zone electrophoresis of complex ionic mixtures with on-line isotachophoretic sample pretreatment 638(1993)137
Kaniansky, D. and Zelenský, I.
Photometric detection of amino-containing compounds in capillary isotachophoresis based on reaction with copper(II) ions 638(1993)225
Kaniansky, D., see Reijenga, J.C. 638(1993)195
Karovičová, J., Polonský, J., Drdák, M., Šimko, P. and Vollek, V.
Capillary isotachophoresis of organic acids produced by selected microorganisms during lactic acid fermentation 638(1993)241
Kaufmann, T., see Caslavska, J. 638(1993)205
Kilár, F. and Hjertén, S.
Unfolding of human serum transferrin in urea studied by high-performance capillary electrophoresis 638(1993)269
Kiso, Y., see Hirokawa, T. 638(1993)215
Kleiböhmer, W., Cammann, K., Robert, J. and Mussenbrock, E.
Determination of explosives residues in soils by micellar electrokinetic capillary chromatography and high-performance liquid chromatography. A comparative study 638(1993)349
Klepárník, K., Fanali, S. and Boček, P.
Selectivity of the separation of DNA fragments by capillary zone electrophoresis in low-melting-point agarose sol 638(1993)283
Kořínková, V., see Buzinkaiová, T. 638(1993)231
Kraft, K., see Gebhardt, S. 638(1993)235
Křivánková, L., Gebauer, P., Thormann, W., Mosher, R.A. and Boček, P.
Options in electrolyte systems for on-line combined capillary isotachophoresis and capillary zone electrophoresis 638(1993)119
Langenhuizen, M.H.J.M. and Janssen, P.S.L.
Capillary zone electrophoresis of pharmaceutical peptides 638(1993)311
Lecoq, A.-F., Di Biase, S. and Montanarella, L.
Fraction collection after an optimized micellar electrokinetic capillary chromatographic separation of nucleic acid constituents 638(1993)363
Lee, M.L., see Raynie, D.E. 638(1993)75
Lienhard, S., see Caslavska, J. 638(1993)335
Lode, H.N., see Gebhardt, S. 638(1993)235
Madajová, V., see Kaniansky, D. 638(1993)137
Marák, J., see Kaniansky, D. 638(1993)137
Marigo, M., see Tagliaro, F. 638(1993)303
Markides, K.E., see Raynie, D.E. 638(1993)75
Mauri, P., see Pietta, P. 638(1993)357
Menichelli, A., see Del Principe, D. 638(1993)277
Mikšík, I., Gabriel, J. and Deyl, Z.
Capillary electrophoresis of *o*-phenylenediamine derivatives (quinoxalines) of dicarbonyl sugars 638(1993)343
Mohammad, J., see Valtcheva, L. 638(1993)263
Molteni, S. and Thormann, W.
Experimental aspects of capillary isoelectric focusing with electroosmotic zone displacement 638(1993)187
Montanarella, L., see Lecoq, A.-F. 638(1993)363
Mosher, R.A., Gebauer, P. and Thormann, W.
Computer simulation and experimental validation of the electrophoretic behavior of proteins. III. Use of titration data predicted by the protein's amino acid composition 638(1993)155
Mosher, R.A., see Křivánková, L. 638(1993)119
Mussenbrock, E., see Kleiböhmer, W. 638(1993)349
Nakamura, K.-I., see Hirokawa, T. 638(1993)215
Nardi, A., Eliseev, A., Boček, P. and Fanali, S.
Use of charged and neutral cyclodextrins in capillary zone electrophoresis: enantiomeric resolution of some 2-hydroxy acids 638(1993)247
Nesi, M., see Righetti, P.G. 638(1993)165
Niethammer, D., see Gebhardt, S. 638(1993)235
Ninčáková, A., see Šípoš, J. 638(1993)108
Nishiyama, F., see Hirokawa, T. 638(1993)215
Nocca, G., see Castagnola, M. 638(1993)327
Novelli, G., see Del Principe, D. 638(1993)277
Ohta, T., see Hirokawa, T. 638(1993)215
Östermark, U., see Ramnäs, O. 638(1993)65
Payne, K.M., see Raynie, D.E. 638(1993)75
Petersson, G., see Ramnäs, O. 638(1993)65
Pettersson, G., see Valtcheva, L. 638(1993)263
Pietta, P., Mauri, P., Bruno, A. and Zini, L.
High-performance liquid chromatography and micellar electrokinetic chromatography of flavonol glycosides from *Tilia* 638(1993)357
Poiesi, C., see Tagliaro, F. 638(1993)303
Polonský, J., see Buzinkaiová, T. 638(1993)231
Polonský, J., see Karovičová, J. 638(1993)241
Poole, C.F., see Erney, D.R. 638(1993)57
Pospíchal, J., Deml, M. and Boček, P.
Electrically controlled electrofocusing of ampholytes between two zones of modified electrolyte with two different values of pH 638(1993)179
Rabino, R., see Castagnola, M. 638(1993)327
Ramnäs, O., Östermark, U. and Petersson, G.
Assessment by gas chromatography–mass spectrometry of hexenes emitted to air from petrol 638(1993)65
Raynie, D.E., Payne, K.M., Markides, K.E. and Lee, M.L.
Evaluation of microbore and packed capillary column chromatography with an ethylvinylbenzene–divinylbenzene polymeric packing material and supercritical ammonia as the mobile phase 638(1993)75
Reijenga, J.C., Trieling, R.G. and Kaniansky, D.
Project ILSAP: an inter-laboratory study on accuracy and precision in isotachophoresis 638(1993)195
Righetti, P.G., Chiari, M., Nesi, M. and Caglio, S.
Towards new formulations for polyacrylamide matrices, as investigated by capillary zone electrophoresis 638(1993)165
Robert, J., see Kleiböhmer, W. 638(1993)349

Rodén, L., Rodén, M., Yu, H., Jin, J. and Greenshields, J.
Separation of sugars by ion-exclusion chromatography on a cation-exchange resin 638(1993)29
Rodén, M., see Rodén, L. 638(1993)29
Rossetti, D.V., see Castagnola, M. 638(1993)327
Sádecká, J., see Buzinkaiová, T. 638(1993)231
Sandberg, M., see Weber, S.G. 638(1993)1
Schleimer, M. and Schurig, V.
Enantiomer separation by complexation gas and supercritical fluid chromatography on immobilized polysiloxane-bonded nickel(II) bis[(3-heptafluorobutanoyl)-10-methylene-(1*R*)-camphorate] (Chirasil-nickel) 638(1993)85
Schmidt, K.-H., see Gebhardt, S. 638(1993)235
Schurig, V., see Schleimer, M. 638(1993)85
Šimko, P., see Karovičová, J. 638(1993)241
Šimuničová, E., see Kaniansky, D. 638(1993)137
Šípoš, J. and Ninčáková, A.
Determination of stabilizers in human serum albumin preparations 638(1993)108
Spyres, G.
Determination of 3-chloropropane-1,2-diol in hydrolyzed vegetable proteins by capillary gas chromatography with electrolytic conductivity detection 638(1993)71
Šustáček, V., see Vespalec, R. 638(1993)255
Tagliaro, F., Poiesi, C., Aiello, R., Dorizzi, R., Ghielmi, S. and Marigo, M.
Capillary electrophoresis for the investigation of illicit drugs in hair: determination of cocaine and morphine 638(1993)303
Tanaka, I., see Hirokawa, T. 638(1993)215
Thormann, W., see Caslavska, J. 638(1993)205
Thormann, W., see Caslavska, J. 638(1993)335
Thormann, W., see Křivánková, L. 638(1993)119
Thormann, W., see Molteni, S. 638(1993)187
Thormann, W., see Mosher, R.A. 638(1993)155
Trieling, R.G., see Reijenga, J.C. 638(1993)195
Tsai, H., see Weber, S.G. 638(1993)1
Valtcheva, L., Mohammad, J., Pettersson, G. and Hjertén, S.
Chiral separation of β-blockers by high-performance capillary electrophoresis based on non-immobilized cellulase as enantioselective protein 638(1993)263
Van Den Bossche, W., see Baeyens, W. 638(1993)319
Van Der Weken, G., see Baeyens, W. 638(1993)319
Verheggen, Th.P.E.M. and Everaerts, F.M.
Equipment for multifunctional use in high-performance capillary electrophoresis 638(1993)147
Vespalec, R., Šustáček, V. and Boček, P.
Prospects of dissolved albumin as a chiral selector in capillary zone electrophoresis 638(1993)255
Vilenchik, M., see Cohen, A.S. 638(1993)293
Vlašičová, E., see Buzinkaiová, T. 638(1993)231
Vollek, V., see Karovičová, J. 638(1993)241
Weber, S.G., Tsai, H. and Sandberg, M.
Electrochemical detection of dipeptides with selectivity against amino acids 638(1993)1
Weiss, G., see Baeyens, W. 638(1993)319
Woo, K.-L. and Chang, D.-K.
Determination of 22 protein amino acids as N(O)-*tert.*-butyldimethylsilyl derivatives by gas chromatography 638(1993)97
Xia, W., see Hirokawa, T. 638(1993)215
Yu, H., see Rodén, L. 638(1993)29
Zelenský, I., see Kaniansky, D. 638(1993)225
Zhang, Y., Dallas, A.J. and Carr, P.W.
Critical comparison of gas–hexadecane partition coefficients as measured with packed and open tubular capillary columns 638(1993)43
Zini, L., see Pietta, P. 638(1993)357